

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



JAN 18 2009

Classings Through January 1, 2009

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 1, 2008

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	23	232	819	3,624	15,015	46,671	66,384
	3	-	4	55	501	1,880	6,877	23,735	63,006	96,058
	4	-	-	3	57	185	626	1,883	5,544	8,298
	5	-	-	-	1	5	18	61	190	275
	6	-	-	-	-	-	-	-	6	6
	7	-	-	-	-	-	-	-	1	1
	TOTAL----	-	4	81	791	2,889	11,145	40,694	115,418	171,022
31	1-2	-	3	25	451	1,555	4,200	10,963	21,439	38,636
	3	-	16	141	1,427	7,476	38,637	146,023	351,974	545,694
	4	-	4	58	416	2,260	9,673	39,098	128,097	179,606
	5	-	-	5	34	272	1,068	2,915	9,432	13,726
	6	-	-	-	8	37	70	195	723	1,033
	7	-	-	-	1	3	-	12	33	49
	TOTAL----	-	23	229	2,337	11,603	53,648	199,206	511,698	778,744
41	1-2	-	-	4	149	709	1,539	2,721	3,475	8,597
	3	-	2	53	758	7,351	45,160	172,770	383,435	609,529
	4	-	2	43	484	4,173	24,441	110,648	336,620	476,411
	5	-	-	5	142	989	4,097	13,666	47,141	66,040
	6	-	-	1	21	185	720	2,217	7,303	10,447
	7	-	-	-	9	30	83	285	965	1,372
	TOTAL----	-	4	106	1,563	13,437	76,040	302,307	778,939	1,172,396
51	1-2	-	-	-	7	51	168	195	172	593
	3	-	-	1	102	1,621	8,020	20,111	27,287	57,142
	4	-	-	-	69	1,377	8,913	27,115	47,671	85,145
	5	-	-	-	15	244	1,643	5,139	11,650	18,691
	6	-	-	-	5	36	325	1,163	3,353	4,882
	7	-	-	1	-	15	72	357	698	1,143
	TOTAL----	-	-	2	198	3,344	19,141	54,080	90,831	167,596
61	1-2	-	-	-	-	-	1	1	-	2
	3	-	-	2	8	45	36	31	86	208
	4	-	-	-	4	29	33	96	122	284
	5	-	-	-	-	6	15	95	158	274
	6	-	-	-	-	-	3	33	47	83
	7	-	-	-	-	-	1	5	19	25
	TOTAL----	-	-	2	12	80	89	261	432	876
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	2	27	125	470	995	2,773	4,392
	3	-	1	6	120	520	1,066	1,725	4,932	8,370
	4	-	-	-	44	169	324	370	854	1,761
	5	-	-	-	3	10	26	42	78	159
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	1	8	194	824	1,886	3,132	8,639	14,684
32	1-2	-	1	5	25	85	191	369	430	1,106
	3	-	17	72	291	1,018	2,444	4,629	6,471	14,942
	4	-	4	94	368	975	2,471	4,448	6,859	15,219
	5	-	1	9	83	286	749	972	1,577	3,677
	6	-	-	-	10	26	55	69	161	321
	7	-	-	1	3	2	3	15	20	44
	TOTAL----	-	23	181	780	2,392	5,913	10,502	15,518	35,309
42	1-2	-	-	7	31	56	149	243	229	715
	3	-	2	30	147	725	2,692	6,149	9,040	18,785
	4	-	1	5	211	1,040	3,743	10,371	20,007	35,378
	5	-	-	2	151	723	2,096	3,962	6,658	13,592
	6	-	1	-	33	166	475	810	1,068	2,553
	7	-	-	2	20	72	128	203	251	676
	TOTAL----	-	4	46	593	2,782	9,283	21,738	37,253	71,699
52	1-2	-	-	-	-	17	64	66	72	219
	3	-	-	-	6	251	1,280	2,621	3,523	7,681
	4	-	-	8	52	380	2,777	7,290	10,934	21,441
	5	-	2	6	43	173	1,306	3,280	5,108	9,918
	6	-	-	-	20	46	393	770	860	2,089
	7	-	-	-	16	31	155	292	371	865
	TOTAL----	-	2	14	137	898	5,975	14,319	20,868	42,213

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 1, 2008

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	2	30	59	54	98	243
	4	-	-	-	1	54	238	533	460	1,286
	5	-	-	-	3	18	199	561	349	1,130
	6	-	-	-	1	9	87	208	108	413
	7	-	-	-	-	-	8	42	39	89
TOTAL----		-	-	-	7	111	591	1,398	1,054	3,161
13 & 23	1-2	-	-	1	1	3	16	102	743	866
	3	-	-	3	8	44	93	248	1,224	1,620
	4	-	-	-	2	23	30	62	210	327
	5	-	-	-	-	-	1	1	13	15
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	4	11	70	140	413	2,191	2,829
33	1-2	-	-	1	-	2	12	47	190	252
	3	-	3	10	19	25	124	396	981	1,558
	4	-	5	25	43	125	183	308	642	1,331
	5	-	-	5	24	62	96	85	182	454
	6	-	4	1	3	15	16	9	27	75
	7	-	-	-	-	1	2	2	-	5
TOTAL----		-	12	42	89	230	433	847	2,022	3,675
43	1-2	-	-	-	-	1	5	11	4	21
	3	-	1	3	4	31	152	391	571	1,153
	4	-	2	10	20	45	203	672	1,300	2,252
	5	-	1	1	22	38	213	363	405	1,043
	6	-	2	2	14	22	67	99	117	323
	7	-	-	1	1	5	22	32	39	100
TOTAL----		-	6	17	61	142	662	1,568	2,436	4,892
53	1-2	-	-	-	-	1	7	1	-	9
	3	-	-	2	2	10	104	213	270	601
	4	-	1	4	5	38	196	534	726	1,504
	5	-	-	2	5	19	88	331	305	750
	6	-	-	-	3	26	42	113	73	257
	7	-	-	-	1	14	14	24	38	91
TOTAL----		-	1	8	16	108	451	1,216	1,412	3,212
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	1	3	10	12	26
	4	-	-	-	-	5	66	296	230	597
	5	-	-	-	1	2	32	223	165	423
	6	-	-	-	-	10	16	70	43	139
	7	-	-	-	1	1	3	31	21	57
TOTAL----		-	-	-	2	19	120	630	471	1,242
24-54	1-7	-	-	14	16	13	74	225	515	857
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	1	2	8	14	31	56
All Colors	8 2/	-	-	2	18	26	166	471	610	1,293
TOTAL, ALL---		-	80	756	6,826	38,970	185,765	653,021	1,590,338	2,475,756

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 1, 2008

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	107,501	159,246	192,932	75,163	33,173	18,230	586,245
	3	130,822	221,624	396,358	188,185	51,052	10,149	998,190
	4	13,206	20,717	37,097	24,026	7,906	535	103,487
	5	550	1,004	1,351	747	246	13	3,911
	6	7	23	38	28	10	2	108
	7	-	2	3	1	-	-	114
	TOTAL----	252,086	402,616	627,779	288,150	92,387	28,929	1,691,947
31	1-2	33,287	42,503	53,883	23,055	21,735	23,788	198,251
	3	495,774	514,276	498,725	172,660	47,856	25,738	1,755,029
	4	264,848	376,818	370,752	118,675	31,202	3,354	1,165,649
	5	25,990	45,712	53,857	19,872	5,303	435	151,169
	6	1,891	2,894	3,029	1,181	451	46	9,492
	7	102	157	171	49	20	-	499
	TOTAL----	821,892	982,360	980,417	335,492	106,567	53,361	3,280,089
41	1-2	2,721	2,113	1,624	195	35	23	6,711
	3	382,995	224,861	89,433	11,905	1,780	509	711,483
	4	581,182	624,154	371,964	45,025	5,788	796	1,628,909
	5	113,132	203,177	190,293	31,316	4,529	397	542,844
	6	18,458	31,771	34,093	7,093	1,218	105	92,738
	7	2,051	3,117	3,156	775	211	36	9,346
	TOTAL----	1,100,539	1,089,193	690,563	96,309	13,561	1,866	2,992,031
51	1-2	135	60	17	1	-	-	213
	3	17,878	6,580	1,916	205	28	2	26,609
	4	48,172	26,476	11,051	1,415	5	142	87,261
	5	16,997	15,336	10,917	2,057	395	50	45,752
	6	4,289	4,723	4,635	796	174	19	14,636
	7	856	1,294	1,399	288	62	15	3,914
	TOTAL----	88,327	54,469	29,935	4,762	876	101	178,470
61	1-2	-	-	-	-	-	-	-
	3	54	79	30	-	-	-	163
	4	114	114	65	3	-	-	296
	5	145	69	49	18	5	-	286
	6	85	21	7	4	-	-	117
	7	19	13	5	-	-	-	37
	TOTAL----	417	296	156	25	5	-	899
71	1-2	-	-	-	-	-	-	-
	3	-	2	1	-	-	-	3
	4	1	4	1	-	-	-	6
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
	TOTAL----	1	6	2	-	-	-	9
12 & 22	1-2	5,863	7,779	7,906	2,048	382	81	24,059
	3	13,911	23,476	35,191	14,461	3,128	226	90,393
	4	2,646	5,187	6,589	2,933	931	54	18,340
	5	240	490	479	187	53	1	1,450
	6	7	35	21	8	2	-	73
	7	1	1	2	-	-	-	4
	TOTAL----	22,668	36,968	50,188	19,637	4,496	362	134,319
32	1-2	539	625	598	200	124	85	2,171
	3	9,026	11,220	15,877	6,745	1,623	632	45,123
	4	10,125	12,112	15,156	7,870	2,478	268	48,009
	5	2,589	3,453	4,195	2,387	989	61	13,674
	6	329	562	728	430	146	6	2,201
	7	35	62	46	21	5	-	169
	TOTAL----	22,643	28,034	36,600	17,653	5,365	1,052	111,347
42	1-2	124	36	9	3	8	-	180
	3	7,249	3,261	1,031	100	84	79	11,804
	4	20,484	13,050	5,492	538	186	198	39,948
	5	7,957	7,405	5,055	702	167	62	21,348
	6	1,356	1,680	1,545	259	66	21	4,927
	7	320	448	376	67	8	-	1,219
	TOTAL----	37,490	25,880	13,508	1,669	519	360	79,426
52	1-2	16	6	1	-	-	-	23
	3	1,678	788	213	16	2	-	2,697
	4	8,014	3,590	1,353	74	7	3	13,041
	5	4,338	2,671	1,311	135	17	3	8,475
	6	790	528	251	33	9	-	1,611
	7	246	180	127	13	11	-	577
	TOTAL----	15,082	7,763	3,256	271	46	6	26,424
								68,637

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 1, 2008

QUALITY		LEAF	STAPLE						
COLOR	35		36	37	38	39	40 &+	35 to 40+	TOTAL
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	1	1	1	-	-	-	3	3
	4	122	206	61	-	-	-	389	632
	5	275	179	64	1	-	-	519	1,805
	6	162	82	76	4	-	-	324	1,454
	7	58	45	7	1	-	-	111	524
TOTAL----		25	8	-	-	-	-	33	122
643		521	209	6	-	-	-	1,379	4,540
13 & 23	1-2	1,565	1,311	967	215	24	1	4,083	4,949
	3	3,229	4,208	4,060	1,231	157	2	12,887	14,507
	4	866	1,401	1,201	178	48	1	3,695	4,022
	5	77	120	94	13	-	-	304	319
	6	4	7	4	-	-	-	15	16
	7	-	-	-	-	-	-	-	-
TOTAL----		5,741	7,047	6,326	1,637	229	4	20,984	23,813
33	1-2	378	445	579	99	17	5	1,523	1,775
	3	2,389	4,116	6,805	1,832	270	8	15,420	16,978
	4	1,450	2,234	3,563	1,293	405	30	8,975	10,306
	5	391	528	736	295	110	14	2,074	2,528
	6	39	65	68	23	13	1	209	284
	7	2	7	2	-	-	-	11	16
TOTAL----		4,649	7,395	11,753	3,542	815	58	28,212	31,887
43	1-2	11	7	3	1	-	-	22	43
	3	565	403	232	42	22	3	1,267	2,420
	4	1,114	971	740	168	81	38	3,112	5,364
	5	398	375	359	124	43	8	1,307	2,350
	6	95	141	139	33	13	-	421	744
	7	26	26	42	14	6	1	115	215
TOTAL----		2,209	1,923	1,515	382	165	50	6,244	11,136
53	1-2	4	5	-	-	-	-	9	18
	3	226	201	88	7	-	-	522	1,123
	4	640	494	160	10	1	-	1,305	2,809
	5	385	258	79	11	-	-	733	1,483
	6	84	67	41	-	-	-	192	449
	7	43	71	60	1	-	-	175	266
TOTAL----		1,382	1,096	428	29	1	-	2,936	6,148
63	1-2	-	1	1	-	-	-	2	2
	3	24	80	11	-	-	-	115	141
	4	60	29	8	-	-	-	97	694
	5	48	26	6	3	-	-	83	506
	6	18	24	4	-	-	-	46	185
	7	4	2	-	-	-	-	6	63
TOTAL----		154	162	30	3	-	-	349	1,591
24-54	1-7	927	1,036	850	135	18	22	2,988	3,845
25-35	1-7	2	-	-	-	-	-	2	2
81-85 1/	1-7	84	93	33	18	11	3	242	298
All Colors	8 2/	498	1,077	1,048	146	50	10	2,829	4,122
TOTAL, ALL-----		2,377,434	2,647,935	2,454,596	769,866	225,111	86,184	8,561,126	11,036,882
EXTRANEIOUS MATTER		Average Staple -----							35.7
Bark - Level 1		Percent Tenderable -----							65.5
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.4	1.0	1.4	1.7	0.7	0.3	0.2	5.9
	3	-	*	*	*	*	0.1	0.2	0.6	1.2	2.0	3.6	1.7	0.5	0.1	9.9
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.4	1.0	2.3	3.6	5.7	2.6	0.8	0.3	16.9
31	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	0.2	0.2	2.1
	3	-	*	*	*	0.1	0.4	1.3	3.2	4.5	4.7	4.5	1.6	0.4	0.2	20.8
	4	-	*	*	*	*	0.1	0.4	1.2	2.4	3.4	3.4	1.1	0.3	*	12.2
	5	-	-	*	*	*	*	*	0.1	0.2	0.4	0.5	0.2	*	*	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	0.1	0.5	1.8	4.6	7.4	8.9	8.9	3.0	1.0	0.5	36.8
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.4	1.6	3.5	3.5	2.0	0.8	0.1	*	*	12.0
	4	-	*	*	*	*	0.2	1.0	3.0	5.3	5.7	3.4	0.4	*	*	19.1
	5	-	-	*	*	*	*	0.1	0.4	1.0	1.8	1.7	0.3	*	*	5.5
	6	-	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	0.9
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	*	*	*	0.1	0.7	2.7	7.1	10.0	9.9	6.3	0.9	0.1	*	37.7
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	1.6
	5	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.2	0.5	0.8	0.8	0.5	0.3	*	*	*	3.1
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	3	-	*	*	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.2	*	*	1.4
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	*	*	1.3
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.6

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	*	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	*	*	0.1	0.4	1.7	5.9	14.4	21.5	24.0	22.2	7.0	2.0	0.8	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	15.0															Average Staple 35.7
Bark - Level 2	*															Percent Tenderable 65.5
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

11,036,882 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.1	*	*	*	-	2.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.3	0.9	1.3	0.7	0.2	*	*	*	-	-
31	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	3.5
	3	-	-	*	*	0.2	1.7	6.3	10.9	7.1	2.3	0.7	*	*	-	0.5
	4	-	-	-	*	0.1	0.4	1.8	4.4	4.8	2.6	0.9	0.1	*	-	29.3
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	15.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	1.1
TOTAL----		-	-	*	*	0.3	2.2	8.3	15.7	12.5	5.3	1.7	0.2	*	-	0.1
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	46.2
	3	-	-	*	*	0.2	1.3	4.5	6.2	3.5	1.0	0.2	*	*	-	*
	4	-	-	-	*	0.1	0.8	3.4	6.2	6.0	2.9	1.1	0.2	*	*	16.9
	5	-	-	-	*	*	0.1	0.4	1.3	1.8	1.1	0.5	0.1	*	*	20.7
	6	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	5.4
TOTAL----		-	-	*	*	0.3	2.3	8.5	13.9	11.6	5.3	2.1	0.4	*	-	0.1
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	44.4
	3	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	*	-	*
	4	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	1.5
	6	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.6
TOTAL----		-	-	-	*	0.1	0.3	0.7	0.9	0.8	0.3	0.1	*	*	-	0.3
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	3.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7
	3	-	-	-	-	*	*	0.1	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	*	*	-	0.2
	5	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.4
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.5
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

0.3

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	0.1	0.8	5.2	18.8	32.7	26.3	11.4	4.1	0.6	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.6															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 2	-															

435,769 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.4	2.9	10.9	14.4	12.4	4.6	1.5	0.2	47.4
	3	-	-	-	-	-	-	0.1	0.8	3.3	5.4	5.9	2.5	0.9	0.2	19.1
	4	-	-	-	-	-	-	-	*	0.2	0.3	0.3	0.1	*	*	1.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.5	3.8	14.5	20.1	18.7	7.2	2.5	0.4	67.7
31	1-2	-	-	-	-	-	*	*	0.4	1.3	2.2	3.3	1.6	0.5	*	9.4
	3	-	-	-	-	-	*	0.1	0.7	2.0	3.3	4.9	2.2	0.9	0.1	14.4
	4	-	-	-	-	-	-	*	0.1	0.6	0.9	1.0	0.3	0.1	*	3.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	0.2	1.3	3.9	6.4	9.4	4.2	1.6	0.2	27.3
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.2	*	*	*	0.6
	4	-	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	0.1	0.2	0.3	0.4	0.5	0.2	*	*	1.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	*	0.1	0.4	0.4	0.2	*	*	*	1.1
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.6	0.7	0.3	*	*	*	1.7
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	*	0.9
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- **Arizona** : Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		LEAF	STAPLE														TOTAL Pct.
COLOR	26 & - Pct.		28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
TOTAL, ALL-----		-	-	-	-	-	*	0.9	5.6	19.8	28.2	29.1	11.7	4.2	0.6	100.0	
EXTRANEIOUS MATTER																	
Bark - Level 1	0.7																
Bark - Level 2	"																
Grass - Level 1	0.2																
Grass - Level 2	*																
Prep - Level 1	"																
Prep - Level 2	-																
Other - Level 1	0.4																
Other - Level 1	-																
		Average Staple 36.3															
		Percent Tenderable 74.9															

278,809 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.5	0.2	*	*	-	1.0
31	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.8	3.8	7.6	3.8	0.3	*	*	16.3
	4	-	-	-	-	*	*	*	0.3	2.4	7.8	6.5	0.6	*	*	17.7
	5	-	-	-	-	-	*	*	*	0.2	0.7	0.8	0.2	*	*	1.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	1.2	6.5	16.1	11.2	1.0	0.1	*	36.2
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.7	2.9	5.4	2.4	0.2	*	*	11.8
	4	-	-	-	-	*	*	0.1	0.8	6.1	16.6	10.8	0.9	0.1	*	35.4
	5	-	-	-	-	*	*	*	0.1	0.9	4.9	4.8	0.4	*	*	11.2
	6	-	-	-	-	-	*	*	*	0.1	0.5	0.7	0.1	*	*	1.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.2	1.6	10.0	27.5	18.7	1.7	0.2	*	59.9
51	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	*	*	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
42	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL, ALL----		-	-	-	-	*	*	0.4	3.1	17.3	45.1	30.9	2.8	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

1,234,254 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.7	2.4	5.2	9.5	8.2	7.4	5.5	39.1
	3	-	-	-	-	-	-	*	0.1	0.6	1.5	2.5	2.1	2.5	2.4	11.7
	4	-	-	-	-	-	-	-	*	-	-	-	*	-	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.8	3.0	6.7	12.0	10.3	9.9	8.0	50.8
31	1-2	-	-	-	-	-	*	*	0.1	0.4	1.2	4.3	3.6	6.1	7.4	23.2
	3	-	-	-	-	-	-	*	0.1	0.4	1.4	4.0	2.7	3.8	7.4	19.8
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	0.4	1.2
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.2	0.8	2.7	8.5	6.5	10.2	15.3	44.2
41	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	*	0.7
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.9	0.2	0.2	0.1	2.0
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	0.2	0.7
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.8	1.5	0.7	0.3	0.3	3.8
51	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.1	0.2
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.3
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.3	0.5
42	1-2	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	*	0.2	1.1	3.9	10.3	22.2	17.6	20.7	24.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.1															Average Staple
Bark - Level 2	-															38.2
Grass - Level 1	0.1															Percent Tenderable
Grass - Level 2	-															95.9
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

318,204 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.2	0.4	0.7	0.3	*	*	-	*	1.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.5	0.9	0.4	*	*	*	*	2.0
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	1.7	9.1	13.5	4.1	0.7	0.1	*	*	29.3
	4	-	-	-	-	-	*	0.2	1.8	5.1	3.5	1.0	0.4	0.1	*	12.1
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	2.0	11.0	18.8	7.8	1.8	0.5	0.2	*	42.2
41	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	0.2	2.2	8.5	9.1	2.4	0.6	0.1	*	-	23.0
	4	-	-	-	-	*	0.1	1.0	6.1	10.7	5.6	2.0	0.4	*	*	25.9
	5	-	-	-	-	-	*	*	0.2	0.8	1.1	0.8	0.2	*	*	3.2
	6	-	-	-	-	-	-	*	*	0.2	0.5	0.3	0.1	*	-	1.0
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	*	*	0.3	3.2	14.9	20.8	9.5	3.8	0.7	0.1	*	53.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	0.4	0.6	0.6	0.4	*	*	-	-	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	*	0.5	5.6	26.8	41.1	18.4	6.0	1.2	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.8															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

104,551 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
31	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
	3	-	-	-	*	0.1	0.7	2.7	6.2	5.7	1.8	0.2	*	*	*	17.5
	4	-	-	-	*	*	*	0.2	0.9	1.8	1.1	0.3	*	*	*	4.3
	5	-	-	-	-	*	*	*	*	*	1.1	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.8	3.1	7.3	7.6	3.0	0.5	*	*	*	22.4
41	1-2	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	*	*	0.1	1.3	5.8	14.3	11.9	3.1	0.4	*	*	*	36.9
	4	-	-	*	*	*	0.5	2.3	8.1	11.2	5.2	1.2	0.1	*	*	28.7
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	0.2	1.8	8.2	22.7	23.5	8.8	1.9	0.2	*	*	67.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.2	0.7	1.0	0.6	0.2	*	*	*	*	2.7
	4	-	-	-	*	*	0.2	0.8	1.5	1.4	0.6	0.2	*	-	*	4.7
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.5	1.6	2.7	2.3	1.0	0.3	*	*	*	8.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
52	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	*	*	0.4	3.1	13.2	33.3	33.9	13.0	2.8	0.3	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.5															Average Staple 34.5
Bark - Level 2	*															Percent Tenderable 84.7
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	-															

1,483,082 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.3	0.4	0.4	0.3	-	-	-	1.5
	3	-	-	-	-	-	*	0.3	0.9	1.7	3.6	1.6	*	*	-	8.1
	4	-	-	-	-	-	-	-	-	0.5	1.4	0.9	-	-	-	2.9
	5	-	-	-	-	-	-	-	-	*	0.2	0.2	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.4	1.3	2.6	5.5	3.0	*	*	-	12.9
31	1-2	-	-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	3	-	-	-	-	-	-	0.1	0.7	3.2	5.2	2.5	0.3	*	-	12.1
	4	-	-	-	-	-	-	*	0.5	4.6	6.6	4.4	0.2	-	-	16.2
	5	-	-	-	-	-	-	*	0.5	3.4	4.6	1.7	0.1	-	-	10.3
	6	-	-	-	-	-	-	-	0.5	1.2	1.0	0.3	-	-	-	3.0
	7	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	0.2
TOTAL----		-	-	-	-	-	0.1	2.4	12.8	17.8	9.0	0.6	*	*	-	42.6
41	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.2	0.5	0.2	0.1	-	-	1.1
	4	-	-	-	-	-	-	-	0.1	0.5	0.8	0.5	0.2	-	*	2.1
	5	-	-	-	-	-	-	*	0.2	1.5	2.4	1.0	0.2	*	-	5.4
	6	-	-	-	-	-	-	*	0.4	2.2	3.9	1.3	0.1	*	-	7.9
	7	-	-	-	-	-	-	0.2	0.1	0.9	2.4	0.6	*	-	-	4.1
TOTAL----		-	-	-	-	-	0.2	0.9	5.3	9.9	3.7	0.6	*	*	-	20.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.3	0.3	*	-	-	-	0.7
	3	-	-	-	-	-	-	*	0.1	0.9	1.2	0.2	*	-	-	2.4
	4	-	-	-	-	-	-	*	-	0.2	0.2	0.1	*	-	-	0.6
	5	-	-	-	-	-	-	-	-	*	-	0.1	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.2	1.4	1.8	0.5	*	-	-	3.9
32	1-2	-	-	-	-	-	-	-	0.1	0.2	0.2	0.2	*	-	-	0.7
	3	-	-	-	-	-	-	*	0.2	1.2	1.9	0.9	*	*	-	4.2
	4	-	-	-	-	-	-	*	0.7	1.1	0.4	-	-	-	-	2.2
	5	-	-	-	-	-	-	-	0.3	0.2	0.3	-	-	-	-	0.7
	6	-	-	-	-	-	-	*	*	0.1	0.2	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.3	2.4	3.5	1.9	*	*	-	8.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	0.1	0.2	*	-	-	-	-	0.3
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	0.1	*	-	-	-	-	0.2
	7	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
TOTAL----		-	-	-	-	-	-	*	0.3	0.5	0.2	*	-	-	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	0.2	0.1	*	-	-	-	-	0.4
	4	-	-	-	-	-	-	*	0.3	0.7	0.2	*	*	-	-	1.2
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	0.1	0.5	0.8	0.2	*	*	-	-	1.7
	3	-	-	-	-	-	-	*	*	0.5	0.2	*	-	-	-	0.7
	4	-	-	-	-	-	-	*	0.3	1.8	1.7	0.5	*	-	-	4.3
	5	-	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	0.1	0.4	2.5	2.1	0.6	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.6
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.3
	5	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	0.2	0.3	0.1	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	0.3	0.6	0.3	0.2	0.2	-	-	-	1.6
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	0.5	0.1	*	0.2	0.1	-	-	-	1.0
TOTAL, ALL-----		-	-	-	-	-	0.1	1.7	6.8	28.6	42.0	19.3	1.3	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	39.6															
Bark - Level 2	-															
Grass - Level 1	-															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

20,039 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	-	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	0.1	0.3	0.9	2.2	3.1	2.0	0.8	*	*	-	9.4
	4	-	-	-	-	*	*	0.1	0.5	1.0	1.3	0.9	0.1	*	-	3.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	0.1	0.3	1.1	2.8	4.2	3.4	2.0	0.2	*	-	14.1
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	0.3	1.8	5.5	6.8	5.3	2.8	0.7	*	*	-	23.3
	4	-	-	-	-	*	0.8	2.8	5.0	7.0	5.8	2.7	0.1	*	-	24.3
	5	-	-	-	-	*	*	0.1	0.2	0.7	1.0	1.0	0.2	*	*	3.2
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.4	2.7	8.5	12.1	13.0	9.8	4.6	0.4	*	*	51.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	*	0.2	0.9	1.7	1.7	0.8	0.2	*	*	-	-	5.6
	4	-	-	-	*	0.1	1.1	2.6	2.9	2.3	0.9	0.3	*	-	-	10.4
	5	-	-	-	-	*	0.2	0.3	0.4	0.4	0.3	0.2	*	*	-	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.3	2.2	4.6	5.0	3.7	1.5	0.5	*	*	-	17.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	0.1	0.5	1.0	0.6	0.2	*	*	-	-	2.6
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.9	1.6	1.0	0.3	0.1	*	-	-	4.1
52	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	0.1	0.3	0.5	0.7	0.2	0.1	*	*	-	-	1.9
	4	-	-	-	*	0.1	0.6	1.6	2.2	1.2	0.3	0.1	*	-	-	6.0
	5	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	0.1	1.0	2.7	3.6	1.9	0.6	0.1	*	-	-	10.0

* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		January 1, 2008														
COLOR	LEAF	STAPLE														
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	*	*	-	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7
	3	-	-	*	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	*	0.1	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	0.1	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.1	*	*	*	*	*	*	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	-	*	1.0	6.6	18.6	26.0	24.1	15.7	7.4	0.6	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															
		Average Staple 34.5														
		Percent Tenderable 50.6														

279,652 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-
31	1-2	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.8
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	4	-	-	-	-	-	0.1	1.0	3.1	4.2	3.7	2.4	0.3	-	-	14.7
	5	-	-	-	-	-	-	0.3	1.2	3.0	4.8	6.2	1.1	0.1	-	16.6
	6	-	-	-	-	-	-	-	0.1	0.2	0.5	0.9	0.3	-	-	2.0
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	1-2	-	-	-	-	-	0.1	1.3	4.5	7.5	9.0	9.4	1.6	0.2	-	33.7
	3	-	-	-	-	-	0.2	0.8	1.9	2.6	2.1	1.1	-	-	-	0.1
	4	-	-	-	-	-	0.1	0.7	2.6	6.5	10.6	10.7	1.5	0.2	-	8.9
	5	-	-	-	-	-	-	0.1	0.6	1.9	4.4	6.8	1.5	0.2	-	32.9
	6	-	-	-	-	-	-	-	0.1	0.2	0.6	1.1	0.3	0.1	-	15.6
	7	-	-	-	-	-	-	-	-	0.2	0.6	1.1	0.3	0.1	-	2.4
TOTAL----		-	-	-	-	-	0.4	1.7	5.2	11.4	17.7	19.8	3.4	0.4	-	60.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.1	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	0.7
	7	-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	-	0.4
TOTAL----		-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	0.1	0.3	0.5	0.6	0.6	0.1	-	2.3
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.4
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	-	0.2
	6	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.8
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	0.1	0.2	0.2	0.1	-	-	-	-	0.7

* Less than 0.05 percent.

Table 11. - **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
TOTAL, ALL-----		-	-	*	*	*	0.7	3.5	10.7	20.3	28.3	30.6	5.2	0.6	0.1	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.7															Average Staple
Bark - Level 2	*															35.9
Grass - Level 1	0.4															Percent Tenderable
Grass - Level 2	*															75.0
Prep - Level 1	1.4															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

656,080 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	0.8
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.3	0.5	0.2	*	*	-	1.1
31	1-2	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	3	-	-	-	-	*	*	0.2	1.6	5.8	9.9	4.1	0.3	*	*	21.9
	4	-	-	-	-	-	*	*	0.4	2.6	8.8	5.6	0.2	*	-	17.8
	5	-	-	-	-	-	*	*	*	0.2	0.9	1.1	*	*	*	2.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	2.1	8.9	19.9	11.1	0.6	*	*	42.8
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.9	3.2	4.8	2.4	0.4	0.1	-	12.0
	4	-	-	-	-	*	*	0.2	1.0	5.4	14.0	8.1	0.5	0.1	*	29.2
	5	-	-	-	-	-	*	*	0.2	1.4	5.0	4.3	0.2	*	*	11.1
	6	-	-	-	-	-	-	*	*	0.2	0.7	0.9	0.1	*	*	1.8
	7	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.3	2.1	10.1	24.6	15.8	1.2	0.2	*	54.3
51	1-2	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	*		
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	*	-	-	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
TOTAL, ALL-----		-	-	-	-	*	0.1	0.7	4.5	19.7	45.6	27.5	1.8	0.2	100.0		
EXTRANEEOUS MATTER																	
Bark - Level 1	0.2																
Bark - Level 2	-																
Grass - Level 1	0.1																
Grass - Level 2	-																
Prep - Level 1	0.4																
Prep - Level 2	*																
Other - Level 1	*																
Other - Level 1	-																
		Average Staple 36.0															
		Percent Tenderable 80.2															

698,575 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	1.4	10.3	29.2	11.3	3.3	0.1	55.8
	3	-	-	-	-	-	-	-	*	0.1	1.0	7.2	4.8	2.7	0.1	16.0
	4	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	0.1	1.5	11.3	36.6	16.2	6.0	0.2	72.0
31	1-2	-	-	-	-	-	-	*	*	0.2	1.1	5.4	3.1	0.6	*	10.5
	3	-	-	-	-	-	-	-	*	0.1	1.2	6.0	4.5	1.4	0.2	13.4
	4	-	-	-	-	-	-	-	-	*	0.4	0.8	0.7	0.3	0.1	2.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.3	2.7	12.2	8.3	2.3	0.3	26.2
41	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	0.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	0.2	0.2	*	0.1	-	-	0.4
	3	-	-	-	-	-	-	-	-	0.1	0.1	*	0.1	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.3	0.2	*	0.1	-	-	0.7
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	0.1	*	0.1	*	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	*	0.1	*	*	*	0.3
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEIOUS MATTER																
Bark - Level 1	1.0															Average Staple 37.2
Bark - Level 2	-															Percent Tenderable 57.7
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

34,909 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.4
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	*	0.1	0.5	2.2	4.9	5.0	2.1	0.6	*	*	-	15.4
	4	-	-	-	*	*	0.1	0.8	3.0	4.3	2.3	0.8	*	*	*	11.3
	5	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*
TOTAL----		-	-	-	*	0.1	0.6	3.0	8.1	9.6	4.7	1.6	0.1	*	*	27.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	0.1	0.5	2.0	4.2	3.7	1.4	0.5	*	*	-	12.5
	4	-	-	-	*	*	0.5	3.2	9.1	12.2	6.6	2.8	0.3	*	*	34.8
	5	-	-	-	*	*	0.1	0.6	2.1	3.8	3.1	1.5	0.2	*	*	11.4
	6	-	-	-	-	*	*	0.1	0.3	0.8	0.8	0.4	0.1	*	*	2.5
	7	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
TOTAL----		-	-	-	*	0.1	1.1	5.9	15.8	20.6	11.9	5.3	0.6	0.1	*	61.4
51	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	*	*	0.1	0.3	0.8	0.8	0.4	0.1	*	*	*	2.6
	5	-	-	-	-	*	0.1	0.2	0.6	0.7	0.4	0.2	*	*	*	2.3
	6	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.0
	7	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.2
TOTAL----		-	-	-	*	*	0.2	0.8	1.9	1.9	1.0	0.5	0.1	*	*	6.4
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.5
	4	-	-	-	*	*	*	0.2	0.5	0.5	0.2	*	*	*	-	1.4
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.8	0.8	0.4	0.1	*	*	*	2.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.2	
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		-	-	-	*	0.2	2.1	10.4	26.9	33.5	18.2	7.6	0.8	0.1	*	100.0	
EXTRANEIOUS MATTER																	
Bark - Level 1	0.3																
Bark - Level 2	-																
Grass - Level 1	1.0																
Grass - Level 2	-																
Prep - Level 1	0.1																
Prep - Level 2	-																
Other - Level 1	-																
Other - Level 1	-																

723,136 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 34.8
Percent Tenderable 77.1

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.8	1.9	2.3	1.7	0.4	0.1	*	7.4
	3	-	-	*	*	*	0.1	0.2	0.9	2.2	3.4	3.5	0.9	0.2	*	11.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.4	1.9	4.3	6.0	5.5	1.4	0.3	*	20.1
31	1-2	-	-	-	*	*	*	0.2	1.0	2.4	2.7	1.7	0.4	*	*	8.6
	3	-	*	*	*	*	0.2	0.7	3.2	8.9	13.2	14.5	5.0	0.9	*	46.6
	4	-	-	-	*	*	*	0.2	0.8	2.1	3.5	4.0	1.4	0.4	*	12.6
	5	-	-	-	-	*	*	*	0.1	0.3	0.6	0.5	0.1	*	*	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	0.2	1.1	5.2	13.8	20.1	20.7	7.0	1.3	0.1	69.5
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.7	1.0	0.9	0.4	0.1	*	3.3
	4	-	-	-	-	*	*	*	0.2	0.5	0.9	1.2	0.5	0.1	*	3.4
	5	-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.2	*	*	1.2
	6	-	-	-	-	*	*	*	*	0.1	*	0.1	*	*	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	*	0.1	0.1	0.6	1.5	2.2	2.5	1.1	0.2	*	8.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.5
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		January 1, 2008														
COLOR	LEAF	STAPLE														
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		-	*	*	*	0.1	0.5	1.8	7.9	20.1	28.9	29.1	9.6	1.8	0.1	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	9.3															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															
Average Staple 36.1																
Percent Tenderable 80.7																
215,961 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.																

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.6
31	1-2	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	3	-	-	-	-	0.1	0.1	0.7	3.2	6.4	3.5	1.2	-	-	-	15.2
	4	-	-	-	-	-	-	0.2	0.9	3.0	2.7	1.4	0.1	-	-	8.3
	5	-	-	-	-	-	-	-	0.1	0.2	0.2	0.2	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.2	0.9	4.3	9.6	6.4	2.8	0.2	-	-	24.4
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.3	1.6	6.0	7.6	3.1	1.0	0.1	-	-	19.8
	4	-	-	-	-	-	0.2	1.6	6.6	13.0	9.1	4.3	0.4	-	-	35.3
	5	-	-	-	-	-	-	0.2	0.9	1.9	2.3	1.6	0.3	-	-	7.3
	6	-	-	-	-	-	-	-	0.1	0.4	0.5	0.3	-	-	-	1.4
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	-	0.1	0.5	3.4	13.7	23.0	15.1	7.3	0.8	0.1	-	63.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7
	3	-	-	-	-	-	-	0.1	0.3	0.2	0.1	-	-	-	-	4.1
	4	-	-	-	-	-	-	0.3	0.9	1.6	1.0	0.3	-	-	-	1.7
	5	-	-	-	-	-	-	-	0.2	0.6	0.5	0.3	-	-	-	0.4
	6	-	-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.4	1.5	2.5	1.8	0.7	0.1	-	-	7.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	0.8

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEIOUS MATTER																	
Bark - Level 1	0.4																
Bark - Level 2	-																
Grass - Level 1	0.6																
Grass - Level 2	-																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 2	-																
															Average Staple		35.2
															Percent Tenderable		81.5

226,562 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.0
	3	-	-	-	-	*	0.1	0.7	2.1	2.3	0.7	0.1	*	-	-	5.9
	4	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.9	2.7	3.0	1.0	0.1	*	-	-	7.8
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	-	*	0.4	2.4	7.2	8.2	3.0	0.6	*	*	-	21.8
	4	-	-	-	-	*	0.1	0.9	3.9	7.9	5.6	1.5	0.1	*	-	20.2
	5	-	-	-	-	-	*	*	0.3	1.0	1.1	0.4	*	*	-	3.0
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.6	3.6	11.9	17.4	9.9	2.5	0.2	*	-	46.1
41	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.6	2.4	2.7	0.9	0.2	*	*	-	6.8
	4	-	-	-	-	*	0.1	0.7	3.6	8.2	6.1	2.2	0.1	*	-	21.2
	5	-	-	-	-	*	*	0.1	0.8	2.9	4.1	2.5	0.2	*	*	10.6
	6	-	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.1	*	*	2.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	*	0.2	1.5	6.9	14.2	11.9	5.6	0.5	*	*	40.7
51	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.8	0.6	0.2	*	*	-	2.0
42	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.4	0.4	0.2	0.1	*	-	-	1.3
	5	-	-	-	-	-	*	*	0.2	0.2	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.6	0.8	0.6	0.2	*	*	-	2.5
52	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	1.0	6.3	22.7	36.4	24.1	8.7	0.7	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.1															Average Staple
Bark - Level 2	-															35.1
Grass - Level 1	0.1															Percent Tenderable
Grass - Level 2	*															74.1
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 2	*															

520,955 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- *Texas*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.3	0.8	1.7	2.5	3.1	0.9	0.1	*	9.5
	3	-	*	*	*	*	0.1	0.4	1.0	2.4	4.8	9.6	4.6	1.1	*	24.2
	4	-	-	*	*	*	*	*	0.1	0.2	0.4	0.9	0.6	0.2	*	2.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	0.1	0.2	0.7	1.9	4.3	7.8	13.7	6.1	1.4	0.1	36.3
31	1-2	-	*	*	*	*	0.1	0.1	0.3	0.4	0.6	0.7	0.1	*	*	2.3
	3	-	*	*	*	0.1	0.4	0.9	1.7	3.3	5.3	8.8	3.7	0.8	*	25.1
	4	-	*	*	*	*	0.1	0.3	0.7	1.3	2.3	4.5	2.6	0.7	*	12.8
	5	-	-	*	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	2.0
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.1	0.2	0.6	1.4	2.7	5.3	8.7	14.7	6.9	1.7	0.1	42.3
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	*	*	*	0.1	0.2	0.5	0.8	0.8	0.6	0.4	0.1	*	*	3.5
	4	-	*	*	*	0.1	0.1	0.3	0.5	0.8	0.9	0.9	0.3	*	*	4.0
	5	-	-	*	*	*	0.1	0.1	0.1	0.2	0.3	0.5	0.2	*	*	1.6
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	0.2	0.5	0.9	1.5	1.9	1.9	1.8	0.6	0.1	*	9.5
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	*	*	*	1.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.7
	3	-	*	*	*	*	*	*	0.1	0.3	0.6	0.9	0.4	0.1	*	2.5
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.5	0.9	1.3	0.5	0.1	*	*	3.8
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.4	0.2	*	*	1.2
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.1	*	1.2
	5	-	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.1	0.2	0.2	0.3	0.5	0.8	0.5	0.1	*	2.9
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	1.3
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.7

* Less than 0.05 percent.

Table 18. -- **Texas** : Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.6
33	1-2	-	-	*	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.4
	3	-	*	*	*	*	*	*	*	*	0.1	0.2	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	0.1	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	*	-	*	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	*	*	0.2	0.7	1.8	4.0	7.6	13.3	20.7	33.2	14.8	3.5	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	42.5															Average Staple 36.2
Bark - Level 2	"															Percent Tenderable 40.8
Grass - Level 1	0.7															
Grass - Level 2	"															
Prep - Level 1	"															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

3,702,399 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
31	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.3	1.2	2.8	1.9	0.4	*	-	-	-	6.6
	4	-	-	-	*	*	0.2	1.5	5.7	6.5	2.2	0.4	*	*	-	16.5
	5	-	-	-	-	-	*	0.1	0.6	1.1	0.7	0.2	-	-	-	2.7
	6	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.5	2.8	9.2	9.6	3.3	0.6	*	*	-	26.0
41	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.5	2.0	3.2	1.7	0.3	*	-	-	-	7.8
	4	-	-	-	*	*	0.7	4.3	13.4	13.2	3.4	0.6	*	-	-	35.7
	5	-	-	-	-	*	*	0.8	4.3	6.6	2.8	0.5	*	*	-	15.0
	6	-	-	-	-	*	*	0.2	1.1	2.0	0.9	0.1	*	-	-	4.4
	7	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.5
TOTAL----		-	-	-	*	0.1	1.2	7.3	22.1	23.8	7.5	1.3	*	*	-	63.5
51	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	4	-	-	-	-	*	0.3	1.0	0.8	0.2	0.1	0.1	*	-	-	2.3
	5	-	-	-	-	*	0.1	0.3	0.3	0.1	0.1	*	*	*	-	0.9
	6	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	-	*	*	-	*
TOTAL----		-	-	-	*	0.1	0.5	1.5	1.3	0.3	0.2	0.1	*	*	-	4.0
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.5	0.4	0.2	*	-	-	-	1.2
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	0.2	0.4	0.4	0.2	*	*	-	-	-	0.9
	4	-	-	-	-	0.1	0.4	1.1	0.9	0.2	0.2	*	-	-	-	2.8
	5	-	-	-	-	*	0.1	0.3	0.5	0.3	*	*	-	-	-	1.2
	6	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	0.1	0.7	1.9	1.7	0.5	0.1	-	-	-	-	5.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
January 1, 2008

QUALITY		January 1, 2008														
COLOR	LEAF	STAPLE														
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	0.1	2.0	11.4	35.3	36.8	11.9	2.3	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	0.9															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															
		Average Staple 34.5														
		Percent Tenderable 75.5														

103,945 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 1, 2008

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	-	0.1	-	-	*	-	6.5	-	*
25	*	0.1	*	*	*	-	4.4	-	*
26	*	0.1	*	*	*	*	3.9	-	*
27	*	0.1	*	*	*	*	5.0	-	*
28	*	0.1	*	*	*	*	6.0	*	*
29	*	0.2	*	*	*	*	9.8	*	*
30	*	0.1	*	0.1	*	*	8.1	*	*
31	0.1	0.1	*	0.2	0.1	*	8.0	*	*
32	0.1	0.2	*	0.4	0.1	*	6.8	*	*
33	0.2	0.2	0.1	0.7	0.1	0.1	6.3	*	0.1
34	0.2	0.4	0.1	1.0	0.2	0.1	5.8	*	0.2
35	0.3	0.6	0.2	1.6	0.3	0.2	5.1	0.1	0.3
36	0.5	0.9	0.3	2.6	0.6	0.4	4.0	0.1	0.5
37	0.6	1.3	0.5	3.6	0.7	0.7	3.2	0.3	0.7
38	0.9	2.1	0.8	4.9	0.8	1.2	3.6	0.4	1.0
39	1.4	3.0	1.4	6.6	1.4	2.0	3.2	0.7	1.7
40	2.0	3.4	2.1	8.6	2.3	2.9	2.3	1.1	2.6
41	2.9	4.0	3.1	10.2	3.2	4.4	2.6	1.4	4.2
42	4.0	4.5	4.4	10.4	4.4	6.4	1.6	2.3	5.8
43	5.3	5.4	6.1	11.0	5.5	8.5	1.4	3.1	7.8
44	7.0	6.1	7.9	10.7	7.2	10.5	0.7	4.4	9.3
45	8.6	6.8	9.8	9.3	9.1	11.7	0.8	6.0	9.7
46	10.2	8.2	11.0	7.1	11.4	11.9	0.6	7.9	10.1
47	11.6	9.3	12.0	5.0	12.7	11.3	0.1	10.7	10.2
48	11.8	10.5	11.5	3.2	12.6	9.8	-	12.7	9.7
49	10.8	11.0	9.9	1.6	11.0	7.7	*	13.6	8.4
50	8.8	9.3	7.6	0.8	8.6	5.1	-	13.4	6.7
51	6.2	6.5	5.2	0.2	4.9	2.9	-	10.5	4.7
52	3.7	3.5	3.2	*	1.9	1.4	-	6.5	3.4
53	1.9	1.5	1.6	*	0.5	0.4	-	3.3	1.8
54	0.7	0.4	0.7	*	0.1	0.1	-	1.1	0.6
55	0.2	*	0.2	-	*	*	-	0.3	0.2
56	*	*	*	-	*	*	-	*	0.1
57	*	*	*	-	*	-	-	*	*
58	-	-	*	-	-	-	-	*	*
59	-	-	-	-	-	-	-	*	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	48	48	48	-	48	47	-	48	47
FIBER STRENGTH 1/ 17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-
21	*	-	-	-	-	*	-	*	-
22	*	*	-	-	*	*	-	*	-
23	0.1	*	*	-	*	*	-	0.1	-
24	0.4	*	*	-	0.2	0.2	0.2	0.8	*
25	1.9	0.2	*	*	0.8	1.1	1.5	3.1	0.1
26	7.2	0.7	0.2	0.1	4.2	5.1	5.5	6.9	0.6
27	17.1	3.0	1.0	0.5	14.0	14.4	12.0	11.8	2.1
28	25.6	8.1	4.0	1.0	27.9	26.2	19.2	18.0	11.9
29	23.9	16.4	11.9	2.7	27.8	28.0	14.0	19.3	21.7
30	14.5	24.5	24.3	5.4	16.4	16.7	12.9	13.7	26.2
31	6.4	23.3	30.5	6.0	6.3	6.2	7.8	7.6	19.3
32	2.3	14.4	19.8	5.8	1.8	1.8	2.9	2.7	9.5
33	0.6	6.3	6.7	10.8	0.4	0.3	0.9	0.5	3.0
34	0.1	2.3	1.3	22.8	0.1	*	*	0.1	0.5
35	*	0.7	0.2	25.5	*	*	*	*	*
36 & above	*	0.1	*	19.4	*	*	-	*	*
Average strength	28.5	30.4	30.7	33.9	28.6	28.6	28.1	28.1	29.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 1, 2008

MIKE AND FIBER STRENGTH		MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	*	0.3	-	0.1	*	-	1.3	-	0.4
	25	*	0.2	-	0.1	*	-	1.2	-	0.4
	26	*	0.5	-	0.1	*	-	1.6	-	0.6
	27	*	0.7	*	0.2	*	*	2.0	-	0.7
	28	*	1.3	*	0.3	*	*	2.3	-	0.8
	29	*	2.6	*	0.4	*	*	2.6	-	0.9
	30	*	4.6	*	0.5	*	*	3.0	-	1.0
	31	*	6.0	*	0.8	*	*	3.2	-	1.2
	32	0.1	7.9	*	1.0	*	*	3.5	-	1.3
	33	0.1	8.7	*	1.2	0.1	0.1	3.7	*	1.4
	34	0.3	9.0	*	1.5	0.1	0.2	3.9	*	1.5
	35	0.4	8.5	0.1	2.0	0.2	0.3	4.2	0.2	1.7
	36	0.7	8.4	0.2	2.7	0.3	0.5	4.4	0.4	1.9
	37	1.0	8.1	0.6	3.5	0.5	1.0	4.7	0.9	2.2
	38	1.5	7.0	1.1	4.5	0.8	1.5	4.9	1.9	2.6
	39	2.2	5.8	2.0	5.3	1.4	2.5	5.1	3.3	3.1
	40	3.1	5.0	3.4	6.3	2.7	3.5	5.2	4.4	3.8
	41	4.5	4.4	4.9	7.2	4.2	4.6	5.2	6.4	4.6
	42	6.0	3.7	6.7	7.9	6.0	5.6	5.0	8.3	5.5
	43	7.3	2.9	8.2	8.4	8.2	6.7	4.8	8.7	6.4
	44	8.7	2.2	9.6	8.5	10.7	7.5	4.6	9.3	7.3
	45	9.8	1.1	10.3	8.8	11.9	8.6	4.5	9.5	8.0
	46	10.3	0.5	10.8	8.1	12.4	9.6	4.1	9.6	8.2
	47	10.3	0.2	10.8	6.6	11.5	9.7	3.8	9.5	8.2
	48	9.5	0.1	9.5	5.1	9.9	9.4	3.4	8.5	7.6
	49	8.0	*	7.6	3.7	7.8	8.2	2.9	6.9	6.5
	50	6.2	*	5.8	2.5	5.2	6.8	2.2	5.0	5.0
	51	4.4	-	4.0	1.5	3.0	5.0	1.4	3.6	3.4
	52	2.8	-	2.5	0.7	1.7	3.5	0.8	2.4	2.0
	53	1.7	-	1.2	0.3	0.8	2.3	0.4	1.0	1.0
	54	0.8	-	0.4	0.1	0.3	1.4	0.2	0.2	0.4
	55	0.2	-	0.1	*	0.1	0.9	0.1	*	0.1
	56	*	-	*	*	*	0.3	*	*	*
	57	*	-	*	*	*	*	*	*	*
	58	-	-	*	*	*	*	*	*	*
	59	-	-	-	-	-	-	*	*	*
	60 & above	-	-	-	-	-	-	*	*	*
Average mike		48	-	43	-	48	48	47	-	46
FIBER STRENGTH 1/										
	17 & below	-	-	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-	-	-
	19	-	-	-	-	-	-	-	-	-
	20	-	-	-	-	-	-	-	-	-
	21	-	-	-	-	-	-	*	-	*
	22	-	-	*	*	-	-	*	-	*
	23	*	-	*	*	-	-	*	-	*
	24	*	*	0.2	*	-	*	0.2	-	0.1
	25	*	0.3	0.8	0.2	0.5	*	0.5	0.1	0.3
	26	0.2	1.8	3.2	1.1	2.0	*	1.2	0.8	1.0
	27	1.1	7.1	9.4	4.3	5.5	0.3	3.0	3.4	2.9
	28	3.7	16.1	19.8	10.9	12.7	1.7	7.1	9.3	7.3
	29	11.1	24.5	26.4	20.7	22.5	7.8	13.4	19.6	14.0
	30	26.2	22.1	21.9	25.0	18.1	21.1	19.9	28.2	20.0
	31	31.9	15.9	11.8	19.7	8.5	22.3	22.7	22.7	21.6
	32	18.4	7.4	4.8	11.0	3.3	12.2	18.3	10.6	17.4
	33	5.9	2.9	1.6	4.8	1.0	4.7	3.3	3.9	9.3
	34	1.3	1.2	0.1	1.6	0.2	1.3	0.8	0.2	1.4
	35	0.1	0.4	*	0.4	*	0.2	0.2	-	0.9
	36 & above	*	0.2	-	*	-	*	*	-	0.6
Average strength		30.7	29.6	29.1	30.0	28.7	30.2	29.6	29.1	29.7

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 1, 2008

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	*	-	-	-
72.5-73.4	-	-	-	-	-	*	-	-	-
73.5-74.4	-	-	-	-	-	*	-	-	-
74.5-75.4	-	-	-	-	-	*	-	-	-
75.5-76.4	*	*	*	*	*	*	0.5	0.2	*
76.5-77.4	0.4	0.1	*	*	0.1	0.6	3.9	1.6	*
77.5-78.4	4.7	0.8	0.1	0.2	2.7	5.6	8.7	7.9	0.6
78.5-79.4	15.0	5.7	0.5	1.1	13.8	19.9	15.9	19.1	3.0
79.5-80.4	25.9	23.3	3.6	4.5	34.5	34.7	29.8	26.2	11.3
80.5-81.4	27.8	36.5	16.3	17.5	31.6	26.1	28.2	23.5	26.2
81.5-82.4	19.9	25.2	46.8	26.1	12.7	9.9	11.1	14.4	35.4
82.5-83.4	5.8	7.3	29.2	21.5	4.0	2.8	2.0	5.8	20.3
83.5-84.4	0.5	1.0	3.4	25.0	0.6	0.4	*	1.1	3.1
84.5-85.4	*	*	0.1	3.9	*	*	*	*	*
85.5-86.4	*	-	*	0.3	*	*	-	-	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.1	82.1	82.5	80.5	80.2	80.1	80.3	81.7
TRASH 2/									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.8	42.5	0.4	30.4	0.3	0.9	0.9	0.7	0.4
0.2	11.5	37.5	6.6	42.9	8.8	14.5	9.0	11.1	5.6
0.3	26.5	12.1	19.1	17.4	26.9	31.4	14.8	24.0	14.6
0.4	22.9	3.9	25.0	5.9	26.7	26.4	15.8	24.1	18.6
0.5	16.5	1.8	20.9	2.0	17.9	14.7	14.9	17.7	18.4
0.6	9.0	0.9	13.4	0.8	9.3	6.8	11.4	10.8	14.7
0.7	5.6	0.5	7.4	0.3	4.8	3.1	8.6	5.9	11.0
0.8	3.0	0.3	3.7	0.2	2.4	1.4	6.6	3.0	7.0
0.9	1.6	0.2	1.7	0.1	1.3	0.5	4.9	1.3	3.9
1.0	1.0	0.1	0.9	*	0.7	0.2	3.8	0.7	2.3
1.1	0.6	0.1	0.4	*	0.4	0.1	3.3	0.3	1.4
1.2	0.4	*	0.2	*	0.2	*	2.5	0.2	0.8
1.3	0.2	*	0.1	*	0.1	*	1.5	0.1	0.5
1.4	0.1	*	*	*	0.1	*	0.9	*	0.3
1.5	0.1	*	*	*	*	*	0.5	*	0.2
1.6	*	*	*	*	*	*	0.2	*	0.1
1.7	*	*	*	*	*	*	0.1	*	0.1
1.8 & above	0.1	*	*	*	*	*	0.1	*	0.2
Average trash	0.44	0.20	0.47	0.21	0.43	0.38	0.58	0.44	0.55

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 1, 2008

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	*
72.5-73.4	-	-	-	*	-	-	-	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	-	-	*	*	-	*	-	*
75.5-76.4	*	*	*	*	*	-	*	-	*
76.5-77.4	*	0.1	*	0.2	-	-	0.2	-	0.1
77.5-78.4	0.1	0.7	0.6	1.0	*	*	1.3	*	0.6
78.5-79.4	0.8	4.6	3.8	3.6	1.7	0.1	4.6	0.2	3.0
79.5-80.4	4.0	21.8	32.9	10.8	8.1	1.0	12.9	1.7	9.4
80.5-81.4	19.6	38.0	15.0	22.6	23.7	6.1	25.3	9.6	19.6
81.5-82.4	45.8	25.4	33.7	29.6	32.1	23.8	29.8	30.4	26.5
82.5-83.4	26.7	8.2	12.2	22.6	23.2	42.4	19.1	41.1	26.3
83.5-84.4	2.9	1.2	1.7	8.4	9.6	23.1	5.9	15.1	12.2
84.5-85.4	0.1	0.1	0.1	1.1	1.4	3.3	0.8	1.8	2.2
85.5-86.4	*	-	-	0.1	0.1	0.1	*	0.1	0.2
86.5-87.4	-	-	-	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	-	-	*
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	81.1	81.4	80.8	81.0	81.9	80.6	81.6	81.1
TRASH 2/									
0.0	-	*	*	*	*	*	*	-	*
0.1	1.3	39.9	0.1	14.5	0.2	2.3	8.3	-	5.6
0.2	11.8	43.4	3.9	37.5	4.7	13.4	26.4	0.9	17.5
0.3	23.1	11.3	15.0	25.9	18.7	20.9	25.2	8.7	22.9
0.4	23.8	3.3	20.8	12.2	24.4	20.8	16.9	18.3	19.9
0.5	17.2	1.2	19.6	5.2	20.3	16.6	10.1	21.5	14.1
0.6	10.6	0.5	15.8	2.3	14.1	11.5	5.7	19.5	8.8
0.7	6.0	0.2	9.6	1.1	7.4	7.0	3.2	12.4	5.1
0.8	3.2	0.1	6.2	0.6	4.4	3.9	1.8	7.9	2.8
0.9	1.6	*	3.7	0.3	2.5	1.9	1.0	4.9	1.5
1.0	0.8	*	2.1	0.2	1.4	1.0	0.6	2.7	0.8
1.1	0.4	*	1.3	0.1	0.8	0.4	0.3	1.6	0.5
1.2	0.2	*	0.8	0.1	0.5	0.2	0.2	0.9	0.3
1.3	0.1	*	0.4	*	0.3	0.1	0.1	0.4	0.1
1.4	*	-	0.2	*	0.1	*	0.1	0.1	0.1
1.5	*	-	0.2	*	0.1	*	*	0.1	*
1.6	*	-	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	*	*	*
Average trash	0.44	0.19	0.54	0.28	0.50	0.44	0.35	0.58	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through January 1, 2008

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	7.1	-	-	6.9
	2	-	4.3	-	-	4.3
	3	-	*	-	-	*
	4	-	-	-	-	-
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	11.4	-	-	11.3
02	1	-	20.2	-	-	20.0
	2	-	54.8	-	-	55.5
	3	-	8.2	-	-	7.9
	4	-	0.3	-	-	0.3
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	83.5	-	-	83.8
03	1	-	0.2	-	-	0.2
	2	-	1.9	-	-	1.9
	3	-	1.7	-	-	1.7
	4	-	0.5	-	-	0.5
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	4.4	-	-	4.3
04	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	-	0.1	-	-	0.1
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.4	-	-	0.4
05	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	-
Total -----		-	0.1	-	-	0.1
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.1	-	-	0.1
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.2	-	-	0.2
STAPLE						
40 & shorter		-	-	-	-	-
42		-	-	-	-	*
44		-	2.5	-	-	2.6
46		-	30.9	-	-	32.6
48 & longer		-	66.6	-	-	64.8
Average		-	47.5	-	-	47.4
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	-
80.5-81.4		-	*	-	-	*
81.5-82.4		-	0.2	-	-	0.2
82.5-83.4		-	1.6	-	-	1.5
83.5-84.4		-	8.2	-	-	7.8
84.5-85.4		-	34.0	-	-	33.3
85.5-86.4		-	42.0	-	-	43.7
86.5-87.4		-	11.8	-	-	11.4
87.5-88.4		-	1.9	-	-	1.8
88.5-89.4		-	0.1	-	-	0.1
89.5 & above		-	*	-	-	*
Average		-	85.6	-	-	85.6
BALES CLASSED		-	343,381	-	-	365,054

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through January 1, 2008

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	*	-	-	*
27 - 29	-	0.7	-	-	0.7
30 - 32	-	2.4	-	-	2.3
33 - 34	-	1.8	-	-	1.8
35 - 36	-	3.8	-	-	3.9
37 - 42	-	73.9	-	-	73.9
43 - 49	-	17.3	-	-	17.3
50 - 52	-	*	-	-	*
53 & above	-	-	-	-	-
Average	-	40	-	-	40
ALL MIKE					
24 & below	-	-	-	-	-
25	-	*	-	-	*
26	-	*	-	-	*
27	-	0.1	-	-	0.1
28	-	0.2	-	-	0.2
29	-	0.5	-	-	0.4
30	-	0.8	-	-	0.7
31	-	0.8	-	-	0.8
32	-	0.8	-	-	0.8
33	-	1.0	-	-	1.0
34	-	1.2	-	-	1.3
35	-	2.6	-	-	2.6
36	-	5.0	-	-	5.2
37	-	9.3	-	-	9.4
38	-	13.5	-	-	13.6
39	-	17.3	-	-	17.2
40	-	16.2	-	-	16.0
41	-	12.6	-	-	12.5
42	-	8.9	-	-	8.9
43	-	4.6	-	-	4.6
44	-	2.4	-	-	2.4
45	-	0.9	-	-	0.9
46	-	0.3	-	-	0.3
47	-	0.1	-	-	0.1
48	-	*	-	-	*
49	-	*	-	-	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	-	40	-	-	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	*	-	-	*
32	-	*	-	-	*
33	-	*	-	-	*
34	-	*	-	-	*
35	-	0.1	-	-	0.1
36	-	0.3	-	-	0.3
37	-	0.8	-	-	0.8
38	-	1.5	-	-	1.7
39	-	3.2	-	-	3.9
40	-	7.8	-	-	8.8
41	-	13.2	-	-	13.9
42	-	17.5	-	-	17.4
43	-	18.2	-	-	17.6
44	-	16.1	-	-	15.3
45 & above	-	11.0	-	-	10.3
Average	-	41.7	-	-	41.6
EXTRANEEOUS MATTER					
Bark	-	*	-	-	*
Grass	-	0.1	-	-	0.1
Spindle Twist	-	*	-	-	*
Preparation	-	0.9	-	-	0.9

* Less than 0.05 percent.

